# School Hygiene & Protective Equipment

# Heat Merchants



## School Hygiene and Protective Equipment

# Heat Merchants

### Instant Contactless Boiling Water

Energy efficient, hygienic and removes the need for kettles in staff canteens and offices.



**Zip HydroBoil 5 Litre** Up to 30 cups at one time

Zip EconoBoil 3 Litre up to 18 cups at one time









U28132

It's water. Refreshed

TPUEH

U01573

U17031

### Touch-Free Water Cooler

Zip Hydrochill Contactless Water Cooler with Touch-Free Technology

- Motion activated from 1.5cm distance
- Nano silver anti-bacterial coating
- Sterilising UV dispense outlet filter
- Chilled and ambient water

U28740

### **Classroom Hand Washing**

#### Zip InLine Instantaneous Water Heater 4.4kW

- Wall mounted & easy to install
- Electronic temperature control
- Overheat cut-off
- Temperature range 30 43 degrees
- Minimum inlet pressure 2.0 bar





## School Hygiene and Protective Equipment

# Heat Merchants

### Hand Wash Station

Protect staff and Students against infection

- Stainless Steel 304 grade folded and spot welded
- Supplied with waste and bottletrap
- 2 Tap Hole Taps not included
- Suitable for external placement
- Designed for quick & easy installation
- Can be installed 2m apart
- 850x550x450mm (HxWxD)

U27563



**Contract Lever Basin Taps** 

Min 0.2 - Max 7.0 Bar 1/2" BSP

U22556



Non Concussive Pair Taps

Min 0.2 - Max 3.0 Bar

U83552

1/2"



Non Concussive Push Taps Pair

15 seconds at 1 Bar

Min 0.2 - Max 10.0 Bar

U61105



inta

| YEAR

Manual Mixer

Min 0.2 - Max 10.0 Bar Integral thermostatic mixing valve Safe touch body, copper inlet tails U60611



#### Electronic Sensor Tap

For cold or pre-mixed water Double Power Source – Battery and 6V Transformer (Batteries not included). Order Mixing Valve separately.



Foot Operated Floor Mounted Valve

U27630

Hygienic Robust construction Durable Vandal resistant Easy to install Pedal operated progressive mixer



Basin Mounted Fixed Cast Spout

Water saving Hygienic Robust construction Durable Vandal resistant Easy to install

U27629



#### Gummers 15mm Thermostatic Mixing Valve

Suitable for all plumbing systems preferably balanced Inlet 15mm Outlet 15mm Min 0.1 - Max 5.0 Bar Isolation valve check valve included

U32548



## School Hygiene and Protective Equipment

# Heat Merchants

### Face Masks

#### Purismio Reusable Adult Face Masks

Protect against airborne droplets, dust  $\ensuremath{\mathfrak{C}}$  pollution while being comfortable when active

- Made in the EU
- Innovative Polyester Material
- Sterile Individual Packaging
- 60 Disinfection Cycles washing/soaking in hot/ boiling water (70-100°C) (158F 212F).
- Antibacterial Properties
- Comfort Nose Bridge
- Environmentally Friendly
- The material conforms to OEKO-TEX Standard 100 Standard
- Size 17 cm across the 9cm height (centre mask expands over nose and mouth and chin)



Black U27605



Oatmeal U27757

### Hand Sanitiser

#### Hand Sanitiser

70% Alcohol

U27603 60ml



U27604 5 Litre Tub



### Sanitiser and Soap Dispensers



Nofer ABS Non Touch Sanitiser & Soap Dispenser

Automatic powered dispenser with infrared sensor for wall installation

ABS housing white finish Content viewer and security lock Suitable for public places of high frequency of use LED battery replacement indicator Suitable for alcohol-based disinfectants



U27606

Nofer ABS Sanitiser &

White ABS & Translucent Blur ABS

Dimensions: 190 x 145 x 120 mm

Soap Dispenser

Content Window

Surface Mounted

Capacity 1000ml

Manual Use



Nofer Stainless Steel Sanitiser & Soap Dispenser

Wall mounted installation Push button activation Suitable for public areas Stainless steel sheet - satin finish Durable and resistant to corrosion Robust & anti-vandal Manufactured without edges or sharp edges for safety in use

U27607



Nofer Stainless Steel Soap Dispenser

Dispenser for wall installation Activation with push button Suitable for public places Stainless steel sheet - satin finish Durable and resistant to corrosion Robust & anti-vandal Manufactured without edges or sharp edges for safety in use

U90298