

## TEGERA® 849

Disposable glove, 0,19 mm nitrile, non powder, Cat. III, black, approved for handling foodstuffs, extra long, latex-free, for precision work

### PROPERTIES

High level of protection, good fingertip sensitivity, flexible, very durable, good grip, good fit

### SPECIFICATION

TYPE OF GLOVE Disposable and/or chemical resistant gloves

CATEGORY Cat. III

SIZE RANGE (EU) 7, 8, 9, 10, 11, 12

MATERIAL Nitrile

THICKNESS 0,19 mm

INSIDE Non powder

LENGTH RANGE 290 mm

COLOUR Black

PIECES PER PACKAGE/CARTON 50/500

BOXES PER CARTON 10

PIECES PER BOX 50

AQL 1.5

DISPLAY Box



| SIZE | ART. NO. | EAN NO.       |
|------|----------|---------------|
| 7    | 849-7    | 7392626057067 |
| 8    | 849-8    | 7392626057074 |
| 9    | 849-9    | 7392626057081 |
| 10   | 849-10   | 7392626057098 |
| 11   | 849-11   | 7392626057104 |
| 12   | 849-12   | 7392626064874 |

All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

*All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.*

2019-11-25

**ejendals**  
PROTECTING HANDS AND FEET

**EJENDALS AB**

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

[info@ejendals.com](mailto:info@ejendals.com)

[order@ejendals.com](mailto:order@ejendals.com)

[www.ejendals.com](http://www.ejendals.com)

## TEGERA® 849

### EU-TYPE EXAMINATION

2777 Satra Technology Europe Ltd Bracetown Business Park, Clonee, Dublin 15, Dublin, Ireland

### CHEMICAL RESISTANCE

According to EN16523-1:2015. For details, please contact Ejendals.

### COMPLIANCE DESCRIPTION

EN 420:2003 + A1:2009 Protective gloves - general requirements and test methods

EU 2016/425

Suitable for contact with foodstuffs

EN ISO 374-5:2016 Protective gloves against dangerous chemicals and microorganisms - Part 5 Terminology and performance requirements for microorganism risks.

EN ISO 374-1:2016/Type B Protective gloves against dangerous chemicals and microorganisms - Part 1: Terminology and performance requirements for chemical risks.

#### Test according to EN ISO 374-1:2016

| Tested chemical  | J    | K     | O    | P    | T   | L   |
|------------------|------|-------|------|------|-----|-----|
| Permeation level | 3    | 6     | 2    | 3    | 5   | 1   |
| Degradation %    | 37,3 | -12,2 | -8,4 | -6,6 | 2,8 | 100 |

#### Permeation levels are based on breakthrough times as follows

| Permeation level                 | 1  | 2  | 3  | 4   | 5   | 6   |
|----------------------------------|----|----|----|-----|-----|-----|
| Minimum breakthrough times (min) | 10 | 30 | 60 | 120 | 240 | 480 |

Definition of breakthrough time through the glove palm (1ugm/cm<sup>2</sup>/min)

J: n-Heptane (CAS number 142-82-5)

K: Sodium hydroxide 40% (CAS number 1310-73-2)

L: Sulphuric acid 96% (CAS number 7664-93-9)

O: Ammonium hydroxide 25% (CAS number 1336-21-6)

P: Hydrogen peroxide 30% (CAS number 7722-84-1)

T: Formaldehyde 37% (CAS number 50-00-0)



CE 2777 Cat. III

EN 420:2003 + A1:2009  EN ISO 374-1:2016/Type B JKO

 EN ISO 374-5:2016  
VIRUS



All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

2019-11-25

**ejendals**  
PROTECTING HANDS AND FEET

**EJENDALS AB**

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

info@ejendals.com

order@ejendals.com

www.ejendals.com