# Contour 21+ Back To Wall Rimless Raised Height WC Pan - Enlarged Cubicle

ILLUSTRATED			
S0440	Contour 21+ raised height back-to-wall rimless WC bowl with raised horizontal outlet and anti-microbial glaze		
S6454	Contour 21 grab rail straight 60cm long x 35mm diameter		
S6452	Contour 21 grab rail straight 45cm long x 35mm diameter		
S5093	Clothes hook screw to wall, plastic		
S3643	Conceala 2 4.5/3 or 4/2.6 litre cistern, dual flush valve, side supply, internal overflow, alternative height plastic flushbends, no flushplate		
S4066	Contour 21 toilet seat only, top fixing hinges and retaining buffers		
S4504	Contemporary flush plate, dual flush, Armitage Shanks logo for Conceala 2 cisterns		


### **OPTIONS**

S3579	Conceala 2 cistern 4.5 litre single flush syphon delay fill bottom supply and internal overflow, alternative height plastic flushbends, with spatula lever	
S4305	Panekta outlet connector to convert horizontal outlet wcs to P trap	
S4300	Panekta outlet connector to convert horizontal outlet wcs to S or turned P trap	


# **ILLUSTRATED PRODUCT DETAILS**

Weights	6	Finishes
\$0440 \$6454 \$6452 \$5093 \$3643 \$4066 \$4504	22.70 KG 2.00 KG 0.62 KG 1.76 KG 2.70 KG 1.55 KG 0.46 KG	S0440 White with SmartGuard (HY) S6454 White (AC) S6452 White (AC)
Materia		<b>S5093</b> White (AC)
S0440 S6454	Vitreous China Aluminium	S3643 Neutral / No Finish (67)
<b>S3643</b> Plastic <b>S4066</b> Plastic	Vitreous China	<b>S4066</b> White (01)
		S4504 Stainless Steel finish (MY)
		Capacity
		<b>S3643</b> 4.0 litres
		<b>Designer</b> Robin Levien, RDI


# optional shelf



# **ACCREDITATIONS**



# **FINISH OPTIONS**





# Contour 21+ Back To Wall Rimless Raised Height WC Pan - Enlarged Cubicle

(MY) Stainless Steel (RN) Charcoal (GQ) Red finish
(LI) Blue (01) White

### **Standards**

Vitreous china to BS 3402

### **Special Notes**

Where four or more cubicles are provided in a washroom one of these must be an enlarged cubicle. This cubicle must be in addition to the ambulant disabled cubicle (see page 18:3:13) and must be a minimum of 1200mm wide. One horizontal and one vertical grab rail must be supplied to set around the WC.There must also be a space for a shelf and folding changing table, an outward opening door and closing/opening bar on the inside of the door. Supplied with layout drawings, detailing the fixing positions necessary for Doc M compliance.

600mm grab rail S6454 x 2 for room set for back of door

450mm grab rail S6452

