

Safety Data Sheet acc. to OSHA HCS

Printing date 05/24/2019

Reviewed on 05/24/2019

1 Identification

- · Product identifier
- · Trade name: GRIFFON BLUE GEL POT 800G*12 L49
- · Application of the substance / the mixture Lubricant
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

Bison International

Dr.A.F.Philipsstraat 9

NL-4462 EW Goes

PO Box 160

NL-4460 AD Goes

tel. +31 88 3235700

fax. +31 88 3235800

e mail: sds@boltonadhesives.com

- · Information department: Bison QESH
- · Emergency telephone number: +31 88 3235700. Operating hours mo-fr 08:00h-17:00h (CET)

2 Hazard(s) identification

· Classification of the substance or mixture

The product is not classified, according to the Globally Harmonized System (GHS).

- · Label elements
- · GHS label elements Void
- Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Classification system:
- NFPA ratings (scale 0 4)



Health = 0Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 0Fire = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable. · **vPvB**: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Lubricant

(Contd. on page 2)

1/8 www.griffon.eu



Safety Data Sheet acc. to OSHA HCS

Printing date 05/24/2019 Reviewed on 05/24/2019

Trade name: GRIFFON BLUE GEL POT 800G*12 L49

(Contd. of page 1)

· Dangerous components:

25322-68-3 Polyethylene glycol

10-25%

4 First-aid measures

- Description of first aid measures
- General information: No special measures required.
- · After inhalation:

Supply fresh air; consult doctor in case of complaints.

No special measures required.

- · After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed

No further relevant information available.

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture

No further relevant information available.

- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: No special measures required.
- Methods and material for containment and cleaning up:

Send for recovery or disposal in suitable receptacles.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Reference to other sections

No dangerous substances are released.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Protective Action Criteria for Chemicals

D	Α	C	4	
г	М	v	- 1	

1 40 1.		
25322-68-3	Polyethylene glycol	30 mg/m³
1310-73-2	sodium hydroxide	0.5 mg/m ³
110-82-7	cyclohexane	300 ppm

(Contd. on page 3)

- US-US -

www.griffon.eu 2/8



Safety Data Sheet acc. to OSHA HCS

Printing date 05/24/2019 Reviewed on 05/24/2019

Trade name: GRIFFON BLUE GEL POT 800G*12 L49

		(Contd. of page 2)
· PAC-2:		
25322-68-3	Polyethylene glycol	1,300 mg/m³
1310-73-2	sodium hydroxide	5 mg/m³
110-82-7	cyclohexane	1700* ppm
· PAC-3:		
25322-68-3	Polyethylene glycol	7,700 mg/m ³
1310-73-2	sodium hydroxide	50 mg/m³
110-82-7	cyclohexane	10000** ppm

7 Handling and storage

- · Handling:
- · Precautions for safe handling No special measures required.
- · Information about protection against explosions and fires: No special measures required.
- Conditions for safe storage, including any incompatibilities
- Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Storage class: 12
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

· Components with limit values that require monitoring at the workplace:

25322-68-3 Polyethylene glycol

WEEL Long-term value: 10 mg/m³

(H); MW>200

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

- Breathing equipment: Not required.
- Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

Recommended thickness of the material: > 0,12 mm

Nitrile rubber, NBR

(Contd. on page 4)

3/8 www.griffon.eu



Safety Data Sheet acc. to OSHA HCS

Printing date 05/24/2019 Reviewed on 05/24/2019

Trade name: GRIFFON BLUE GEL POT 800G*12 L49

(Contd. of page 3)

· Penetration time of glove material

For the mixture of chemicals mentioned below the penetration time has to be at least 10 minutes (Permeation according to EN 374 Part 3: Level 1).

· Eye protection: Goggles recommended during refilling.

9 Physica	l and	chemical	properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Fluid

Color: According to product specification

· Odor: Characteristic
· Odor threshold: Not determined.

· pH-value at 20 °C (68 °F): 7

· Change in condition

Melting point/Melting range: Undetermined.

Boiling point/Boiling range: 100 °C (212 °F)

· Flash point: Not applicable.

Flammability (solid, gaseous): Not applicable.

Decomposition temperature: Not determined.

• Danger of explosion: Product does not present an explosion hazard.

Product is not selfigniting.

· Explosion limits:

· Auto igniting:

Lower: Not determined. **Upper:** Not determined.

· Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg)

• **Density at 20 °C (68 °F):** 1.03 g/cm³ (8.595 lbs/gal)

Relative density
 Vapor density
 Evaporation rate
 Not determined.
 Not determined.

· Solubility in / Miscibility with

Water: Not miscible or difficult to mix.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic: Not determined. **Kinematic:** Not determined.

· Solvent content:

 Organic solvents:
 0.0 %

 Water:
 80.7 %

 VOC content:
 0.00 %

(Contd. on page 5)

US-US

www.griffon.eu 4/8



Safety Data Sheet acc. to OSHA HCS

Printing date 05/24/2019 Reviewed on 05/24/2019

Trade name: GRIFFON BLUE GEL POT 800G*12 L49

(Contd. of page 4)

Solids content:

1.9 %

Other information

All relevant physical data were determined for the mixture. All non-determined data are not measurable or not relevant for the characterization of the mixture.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

9003-01-4 2-propenoic acid, homopolymer

3

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.

(Contd. on page 6)

US-US

www.griffon.eu 5/8



Safety Data Sheet acc. to OSHA HCS

Printing date 05/24/2019 Reviewed on 05/24/2019

Trade name: GRIFFON BLUE GEL POT 800G*12 L49

(Contd. of page 5)

US-US

- · **Mobility in soil** No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · **vPvB**: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Smaller quantities can be disposed of with household waste.

Disposal must be made according to official regulations.

- · Uncleaned packagings:
- Recommendation:

Packagings that cannot be cleansed are to be disposed of in the same manner as the product.

UN-Number	
· DOT, ADN	not regulated
· ADR/ADN, IMDG, IATA	not regulated
· UN proper shipping name	
· DOT, ADR/ADN, ADN, IMDG, IATA	not regulated
· Transport hazard class(es)	
· DOT, ADR/ADN, ADN, IMDG, IATA	
· Class	not regulated
· Packing group	
· DOT, ADR/ADN, IMDG, IATA	not regulated
· Environmental hazards:	
· Marine pollutant:	No
· Special precautions for user	Not applicable.
Transport in bulk according to Annex	II of
MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications
·IMDG	
· Remarks:	Under certain conditions substances in Class (flammable liquids) can be classified in packinggrou III.

www.griffon.eu 6/8



Safety Data Sheet acc. to OSHA HCS

Printing date 05/24/2019 Reviewed on 05/24/2019

Trade name: GRIFFON BLUE GEL POT 800G*12 L49

(Contd. of page 6)

See IMDG, Part 2, Chapter 2.3, Paragraph 2.3.2.2

• UN "Model Regulation": not regulated

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

110-82-7 cyclohexane

TSCA (Toxic Substances Control Act):

All ingredients are listed.

· Hazardous Air Pollutants

None of the ingredients is listed.

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

EPA (Environmental Protection Agency)

110-82-7 cyclohexane

||

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

IS-US -

(Contd. on page 8)

www.griffon.eu 7/8



Safety Data Sheet acc. to OSHA HCS

Printing date 05/24/2019 Reviewed on 05/24/2019

Trade name: GRIFFON BLUE GEL POT 800G*12 L49

(Contd. of page 7)

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Bison QESH

· Contact: Reach coordinator

· Date of preparation / last revision 05/24/2019 / 19

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the

International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

* Data compared to the previous version altered.

US-US

www.griffon.eu 8/8