

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2015/830 - United Kingdom (UK)

SAFETY DATA SHEET

Powerflow 3mm 1/2Kg

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Product name : Powerflow 3mm 1/2Kg

Product code : 59952

Product type : Massive metal.

1.2 Relevant identified uses of the substance or mixture and uses advised against

	Identified uses	
Industrial applications.		
	Material uses	
soldering		
	Uses advised against	
Not applicable.		

1.3 Details of the supplier of the safety data sheet

e-mail address of person responsible for this SDS

: Europeanregulatory@macdermid.com

Supplier

2 Genesis Business Park

Albert Drive Sheerwater

: Fernox

Woking GU21 5RW

Information contact

: Tel. No.: +44 (0) 330 100 7750 +44 (0) 330 100 7751

E-Mail: europeanregulatory@macdermid.com

1.4 Emergency telephone number

National advisory body/Poison Centre

Telephone number

Supplier

Telephone number : +44 (0) 330 100 7750

Hours of operation 24/7

Date of issue/Date of revision :12/10/2018 Version :3.3

Powerflow 3mm 1/2Kg 2/12

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Product definition: Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS] *

Repr. 1A Lact. STOT RE 1

The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.

(*) See full text of phrases in section 16

See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

Hazard pictograms



Signal word : Danger

Hazard statements : H360FD - May damage fertility. May damage the unborn child.

H362 - May cause harm to breast-fed children.

H372 - Causes damage to organs through prolonged or repeated exposure. (blood

system, central nervous system (CNS), kidneys)

Precautionary statements

Prevention: P201 - Obtain special instructions before use.

P280 - Wear eye or face protection: Recommended: face shield . Wear protective

clothing: Recommended: overall. P260 - Do not breathe dust.

P263 - Avoid contact during pregnancy or while nursing.

Response : P314 - Get medical attention if you feel unwell.

P308 + P313 - IF exposed or concerned: Get medical attention.

Storage: P405 - Store locked up.

Disposal : P501 - Dispose of contents and container in accordance with all local, regional,

national and international regulations.

Hazardous ingredients

Supplemental label

elements

lead

: Not applicable.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and

articles

: Restricted to professional users.

2.3 Other hazards

Other hazards which do not result in classification

: None known.

SECTION 3: Composition/information on ingredients

3.2 Mixtures : Mixture

Date of issue/Date of revision :12/10/2018 Version :3.3

Powerflow 3mm 1/2Kg 3/12

SECTION 3: Composition/information on ingredients

Product/ingredient name	Identifiers	%	Regulation (EC) No. 1272/2008 [CLP] *	Type
lead	REACH #: 01-2119513221-59 EC: 231-100-4 CAS: 7439-92-1	≥50 - ≤75	Repr. 1A, H360FD (Fertility and Unborn child) Lact., H362 STOT RE 1, H372 (blood system, central nervous system (CNS), kidneys)	[1] [2]
tin	REACH #: 01-2119486474-28 EC: 231-141-8 CAS: 7440-31-5	≥25 - ≤50	Not classified.	[2]
antimony	REACH #: 01-2119475609-24 EC: 231-146-5 CAS: 7440-36-0	≤3	Not classified.	[2]
			(*) See full text of phrases in section 16	

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

Type

- [1] Substance classified with a health or environmental hazard
- [2] Substance with a workplace exposure limit
- [3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII
- [4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII
- [5] Substance of equivalent concern

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measures

4.1 Description of first aid measures

Eye contact : Get medical attention.

Inhalation : Not applicable.

Skin contact : Flush contaminated skin with plenty of water. Wash contaminated clothing

thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. Cuts should be treated promptly and

covered.

Ingestion: Not applicable.

Protection of first-aiders: No action shall be taken involving any personal risk or without suitable training. If it

is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing

thoroughly with water before removing it, or wear gloves.

4.2 Most important symptoms and effects, both acute and delayed

Potential acute health effects

Eye contact : Not applicable.
Inhalation : Not applicable.

Skin contact: No known significant effects or critical hazards.

Ingestion: Not applicable.

Over-exposure signs/symptoms

Eye contact : No specific data.

Date of issue/Date of revision :12/10/2018 **Version** :3.3

Powerflow 3mm 1/2Kg 4/12

SECTION 4: First aid measures

Inhalation : Adverse symptoms may include the following:

reduced foetal weight increase in foetal deaths skeletal malformations

Skin contact : Adverse symptoms may include the following:

reduced foetal weight increase in foetal deaths skeletal malformations

Ingestion: Adverse symptoms may include the following:

reduced foetal weight increase in foetal deaths skeletal malformations

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician : Treat symptomatically. Contact poison treatment specialist immediately if large

quantities have been ingested or inhaled.

Specific treatments: No specific treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

: Use an extinguishing agent suitable for the surrounding fire.

Unsuitable extinguishing

media

: None known.

5.2 Special hazards arising from the substance or mixture

Hazards from the substance or mixture

: No specific fire or explosion hazard.

Hazardous combustion

products

: Decomposition products may include the following materials:

metal oxide/oxides

5.3 Advice for firefighters

Special protective actions for fire-fighters

there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters

: No special protection is required.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from

: Promptly isolate the scene by removing all persons from the vicinity of the incident if

entering. Put on appropriate personal protective equipment.

For emergency responders: If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the

information in "For non emergency personnel"

information in "For non-emergency personnel".

6.2 Environmental precautions

: No specific hazard.

6.3 Methods and material for containment and cleaning up

Small spillRestack safely. Take care with items that are sharp or heavy.Large spillRestack safely. Take care with items that are sharp or heavy.

Date of issue/Date of revision : 12/10/2018 Version :3.3

Powerflow 3mm 1/2Kg 5/12

SECTION 6: Accidental release measures

6.4 Reference to other sections

See Section 1 for emergency contact information.
 See Section 8 for information on appropriate personal protective equipment.
 See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

Protective measures

: Put on appropriate personal protective equipment (see Section 8). Avoid exposure obtain special instructions before use. Avoid contact during pregnancy or while nursing. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Take care with items that are sharp or heavy.

Advice on general occupational hygiene

: Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store locked up.

7.3 Specific end use(s)

Industrial applications. soldering

SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker exposure or environmental releases.

8.1 Control parameters

Occupational exposure limits

Product/ingredient name	Exposure limit values
lead	EH40-OES (United Kingdom (UK), 2002).
	TWA: 0.15 mg/m³ 8 hours.
	EH40/2005 WELs (United Kingdom (UK), 12/2011).
	TWA: 0.15 mg/m³ 8 hours.
tin	EH40-OES (United Kingdom (UK), 2002).
	TWA: 2 mg/m³ 8 hours.
	STEL: 4 mg/m³ 15 minutes.
antimony	EH40/2005 WELs (United Kingdom (UK), 12/2011). Notes: as Sb
	TWA: 0.5 mg/m³, (as Sb) 8 hours.

Recommended monitoring: Not applicable. **procedures**

DNELs/DMELs

No DNELs/DMELs available.

PNECs

No PNECs available

8.2 Exposure controls

Appropriate engineering controls

: No special ventilation requirements. If user operations generate dust, fumes, gas, vapour or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Powerflow 3mm 1/2Kg

SECTION 8: Exposure controls/personal protection

Individual protection measures

: Wash thoroughly after handling. **Hygiene measures**

Eye/face protection : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists,

gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with

side-shields. Recommended: face shield

Skin protection

Hand protection : Use strong, cut-resistant gloves suitable for handling metals. < 1 hour

(breakthrough time): disposable vinyl

Body protection : Personal protective equipment for the body should be selected based on the task

being performed and the risks involved and should be approved by a specialist

before handling this product. Recommended: overall

Other skin protection : Appropriate footwear and any additional skin protection measures should be

selected based on the task being performed and the risks involved and should be

approved by a specialist before handling this product.

Not applicable. Recommended: Respirator selection must be based on known or Respiratory protection

anticipated exposure levels, the hazards of the product and the safe working limits

of the selected respirator.

Environmental exposure

controls

SECTION 9: Physical and chemical properties

: Not applicable.

9.1 Information on basic physical and chemical properties

Appearance

Physical state : Solid. Colour Silvery. **Odour** None.

Odour threshold Not available. pН Not available.

Melting point/freezing point

Initial boiling point and

boiling range

Not available.

: 305°C

: Not available. Flash point : Not available. **Evaporation rate** Flammability (solid, gas) Not available.

Upper/lower flammability or

explosive limits

: Not available.

: Not available. Vapour pressure Vapour density : Not available. **Relative density** : 9.87 q/cm3 [20°C]

Solubility(ies) : Insoluble in the following materials: cold water and hot water.

Partition coefficient: n-octanol/ : Not available.

Auto-ignition temperature : Not available. **Decomposition temperature** Not available. Not available. **Viscosity Explosive properties** : Not available.

9.2 Other information

Oxidising properties

No additional information.

Date of issue/Date of revision :12/10/2018 Version :3.3

Not available.

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2015/830 - United Kingdom (UK)

Powerflow 3mm 1/2Kg 7/12

SECTION 10: Stability and reactivity

10.1 Reactivity : No specific data.

10.2 Chemical stability : The product is stable.

10.3 Possibility of hazardous reactions

: Under normal conditions of storage and use, hazardous reactions will not occur.

10.4 Conditions to avoid : No specific data.

10.5 Incompatible materials : See Section 10.1.

10.6 Hazardous decomposition products

: Under normal conditions of storage and use, hazardous decomposition products

should not be produced.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Conclusion/Summary: Not available.

Acute toxicity estimates

Not available.

Irritation/Corrosion

Conclusion/Summary: Not available.

Sensitisation

Conclusion/Summary: Not available.

Mutagenicity

Conclusion/Summary: Not available.

Carcinogenicity

Conclusion/Summary: Not available.

Reproductive toxicity

Conclusion/Summary: Not available.

Teratogenicity

Conclusion/Summary: Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Product/ingredient name	Category	Route of exposure	Target organs
lead	Category 1		blood system, central nervous system (CNS) and kidneys

Aspiration hazard

Not available.

Information on likely routes :

: Not available.

of exposure

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact : No specific data.

Date of issue/Date of revision :12/10/2018 Version :3.3

Powerflow 3mm 1/2Kg 8/12

SECTION 11: Toxicological information

Inhalation : Adverse symptoms may include the following:

reduced foetal weight increase in foetal deaths skeletal malformations

Skin contact: Adverse symptoms may include the following:

reduced foetal weight increase in foetal deaths skeletal malformations

Ingestion : Adverse symptoms may include the following:

reduced foetal weight increase in foetal deaths skeletal malformations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Short term exposure

Potential immediate : Not available.

effects

Potential delayed effects : Not available.

Long term exposure

Potential immediate : Not available.

effects

Potential delayed effects : Not available.

Potential chronic health effects

Not available.

Conclusion/Summary: Not available.

General : Causes damage to organs through prolonged or repeated exposure.

Carcinogenicity : No known significant effects or critical hazards.Mutagenicity : No known significant effects or critical hazards.

Teratogenicity: May damage the unborn child.

Developmental effects: May cause harm to breast-fed children.

Fertility effects : May damage fertility.

Other information : Not available.

SECTION 12: Ecological information

12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
lead	Acute EC50 105 ppb Marine water	Algae - Chaetoceros sp Exponential growth phase	72 hours
	Acute EC50 0.489 mg/l Marine water Acute EC50 8000 µg/l Fresh water Acute LC50 530 µg/l Fresh water	Algae - Ulva pertusa Aquatic plants - Lemna minor Crustaceans - Ceriodaphnia reticulata	96 hours 4 days 48 hours
	Acute LC50 5100 μg/l Fresh water Acute LC50 0.44 ppm Fresh water	Daphnia - Daphnia pulex Fish - Cyprinus carpio - Juvenile (Fledgling, Hatchling, Weanling)	48 hours 96 hours
	Chronic NOEC 0.25 mg/l Marine water Chronic NOEC 0.03 µg/l Fresh water	Algae - Ulva pertusa Fish - Cyprinus carpio	96 hours 4 weeks

Conclusion/Summary: Not available.

12.2 Persistence and degradability

Conclusion/Summary: Not available.

Date of issue/Date of revision: 12/10/2018Version:3.3Date of previous issue: 06/04/2018

Powerflow 3mm 1/2Kg 9/12

SECTION 12: Ecological information

12.3 Bioaccumulative potential

Not available.

12.4 Mobility in soil

Soil/water partition

: Not available.

coefficient (Koc)

Mobility : Not available.

12.5 Results of PBT and vPvB assessment

PBT : Not applicable.

vPvB : Not applicable.

12.6 Other adverse effects: No known significant effects or critical hazards.

SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

13.1 Waste treatment methods

Product

Methods of disposal

The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

Hazardous waste : Yes. European waste catalogue (EWC)

Waste code	Waste designation
06 04 05*	wastes containing other heavy metals

Packaging

Methods of disposal

: The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

Special precautions

: This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues.

SECTION 14: Transport information

	ADR/RID	IMDG	IATA
14.1 UN number	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-
14.3 Transport hazard class(es)	-	-	-
14.4 Packing group	-	-	-

Date of issue/Date of revision :12/10/2018 Version :3.3

Powerflow 3mm 1/2Kg

SECTION 14: Transport information

14.5 Environmental hazards	No.	No. Not a pollutant.	No.
Additional information	-	-	The environmentally hazardous substance mark may appear if required by other transportation regulations.

user

14.6 Special precautions for : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code : Not available.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU Regulation (EC) No. 1907/2006 (REACH)

: Restricted to professional users.

Annex XIV - List of substances subject to authorisation

Annex XIV

None of the components are listed.

Substances of very high concern

Ingredient name	Intrinsic property			Date of revision
∠ ead	Toxic to reproduction	Candidate	ED 61/2018	27/06/2018

Annex XVII - Restrictions

on the manufacture, placing on the market and use of certain dangerous substances,

mixtures and articles

Other EU regulations

Europe inventory : All components are listed or exempted.

: Listed

Industrial emissions (integrated pollution

prevention and control) -

Air

Industrial emissions (integrated pollution

prevention and control) -

: Listed

Ozone depleting substances (1005/2009/EU)

Not listed.

Prior Informed Consent (PIC) (649/2012/EU)

Ingredient name	Annex	Status
Lead compounds	Annex I - Part 1	Listed

Seveso Directive (2012/18/EU)

This product is not controlled under the Seveso Directive.

National regulations

Date of issue/Date of revision :12/10/2018 Version :3.3 Date of previous issue : 06/04/2018

Powerflow 3mm 1/2Kg 11/12

SECTION 15: Regulatory information

Product/ingredient name	List name	Name on list	Classification	Notes
lead	UK Occupational Exposure Limits EH40 - WEL	lead	Carc.	-

International regulations

Stockholm Convention on Persistent Organic Pollutants (850/2004)

Not listed.

International lists Mixture

National inventory

Australia : All components are listed or exempted.

Canada : All components are listed or exempted.

China : All components are listed or exempted.

Japan inventory (ENCS): Not determined.

Japan inventory (ISHL): Not determined.

Malaysia : Not determined.

New Zealand: All components are listed or exempted.Philippines: All components are listed or exempted.Republic of Korea: All components are listed or exempted.Taiwan: All components are listed or exempted.

Turkey: Not determined.

United States : All components are listed or exempted.

15.2 Chemical safety assessment

: This product contains substances for which Chemical Safety Assessments are still required.

SECTION 16: Other information

Indicates information that has changed from previously issued version.

Abbreviations and

acronyms

: ATE = Acute Toxicity Estimate

CLP = Classification, Labelling and Packaging Regulation (EC) No.

1272/2008]

DMEL = Derived Minimal Effect Level
DNEL = Derived No Effect Level

EUH statement = CLP-specific Hazard statement PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RRN = REACH Registration Number

vPvB = Very Persistent and Very Bioaccumulative

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification	Justification
Repr. 1A, H360FD (Fertility and Unborn child) Lact., H362	Calculation method Calculation method
STOT RE 1, H372 (blood system, central nervous system (CNS), kidneys)	Calculation method

Full text of abbreviated H statements

May damage fertility. May damage the unborn child.
May cause harm to breast-fed children. Causes damage to organs through prolonged or repeated
exposure.

Full text of classifications [CLP/GHS]

Date of issue/Date of revision: 12/10/2018Version:3.3Date of previous issue: 06/04/2018

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2015/830 - United Kingdom (UK)

Powerflow 3mm 1/2Kg 12/12

SECTION 16: Other information

Lact., H362

Repr. 1A, H360FD

REPRODUCTIVE TOXICITY - Effects on or via lactation

REPRODUCTIVE TOXICITY (Fertility and Unborn child)
Category 1A

SPECIFIC TARGET ORGAN TOXICITY - REPEATED

EXPOSURE - Category 1

Date of printing : 07/09/2019

Date of issue/ Date of : 12/10/2018

revision

Date of previous issue : 06/04/2018

Version : 3.3

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Fernox SDS CLP Europe

Date of issue/Date of revision: 12/10/2018Version:3.3Date of previous issue: 06/04/2018