

IN-WALL

**PL2 DUAL - Dual flush operating plate for concealed cistern**



DIMENSIONS


Length	250 mm
Height	160 mm

COLOURS AND FINISHES



1 Chrome

TECHNICAL DRAWINGS



FEATURES

Long Description: PL2 DUAL COMBI

Number of buttons: 2

Publication Status

Recommended for public spaces

COMPATIBLE WITH



**BASIC TANK LH with AG valve (under window) concealed cistern for back-to-wall WCs**

8901212A1



**BASIC TANK L with AG valve (under window) 820mm high concealed cistern for back-to-wall WCs**

8901212A0



**BASIC TANK L with AG valve (under window) 820mm high concealed cistern for back-to-wall WCs**

890121200



**Duplo WC L with AG valve (under window) 820mm high concealed cistern and frame for wall-hung WCs**

890121010



**DUPLO WC SMART with AG valve**

890090800



**BASIC CISTERN - Concealed cistern without frame for WC**

890090200



**DUPLO WC with AG valve (110mm cistern) concealed cistern and frame for wall-hung WCs**

890090020



**BASIC TANK COMPACT with AG valve (80mm cistern) concealed cistern for back-to-wall WCs**

8900802A0



**BASIC TANK COMPACT with AG valve (80mm cistern) concealed cistern for back-to-wall WCs**

890080200



**BASIC WC COMPACT with AG valve (80mm cistern) concealed cistern and frame for wall-hung WCs**

8900801A0



**BASIC WC COMPACT with AG valve (80mm cistern) concealed cistern and frame for wall-hung WCs**

890080120



**DUPLO WC COMPACT with AG valve (80mm cistern) concealed cistern and frame for wall-hung WCs**

8900800A0

## In-Wall

Systems that combine efficiency and technology, turning them into solutions that look after the design and adapt perfectly to the space concerned. Innovation and the avant-garde join forces to guarantee the best features, where convenience, saving and style are to be found in every detail.



### INSTALLATION AND USER MANUALS



[Installation manual](#)



[Spare Parts Catalogue](#)